

# HOW THE COVID SHOT COULD DESTROY YOUR IMMUNE SYSTEM

by Dr. Joseph Mercola  
November 11, 2020  
from [Mercola](#) Website

## Story at-a-glance:

According to a study that examined how informed consent is given to COVID-19 vaccine trial participants, disclosure forms fail to inform volunteers that the vaccine might make them susceptible to more severe disease if they're exposed to the virus

Previous coronavirus vaccine efforts – including those for SARS, MERS and RSV – have revealed a serious concern: The vaccines have a tendency to trigger antibody-dependent enhancement (ADE)

ADE means that rather than enhance your immunity against the infection, the vaccine actually enhances the virus' ability to enter and infect your cells, resulting in more severe disease than had you not been vaccinated

Lethal Th2 immunopathology is another potential risk. A faulty T cell response can trigger allergic inflammation, and poorly functional antibodies that form immune complexes can activate the complement system, resulting in airway damage

There's evidence showing the elderly – who are most vulnerable to severe COVID-19 and would need the vaccine the most – are also the most vulnerable to ADE and Th2 immunopathology.

According to a study that examined how informed consent is given to [COVID-19 vaccine](#) trial participants, disclosure forms fail to inform volunteers that the vaccine might make them susceptible to more severe disease if they're exposed to the virus.

The study, <sup>1</sup> “Informed Consent Disclosure to Vaccine Trial Subjects of Risk of COVID-19 Vaccine Worsening Clinical Disease,” published in the International Journal of Clinical Practice, October 28, 2020, points out that,

“COVID-19 vaccines designed to elicit neutralizing antibodies may sensitize vaccine recipients to more severe disease than if they were not vaccinated.”

“Vaccines for SARS, MERS and RSV have never been approved, and the data

generated in the development and testing of these vaccines suggest a serious mechanistic concern:

That vaccines designed empirically using the traditional approach (consisting of the unmodified or minimally modified coronavirus viral spike to elicit neutralizing antibodies), be they composed of protein, viral vector, DNA or RNA and irrespective of delivery method, may worsen COVID-19 disease via *antibody-dependent enhancement* ([ADE](#)), ...the paper states.”

“This risk is sufficiently obscured in clinical trial protocols and consent forms for ongoing COVID-19 vaccine trials that adequate patient comprehension of this risk is unlikely to occur, obviating truly informed consent by subjects in these trials.

The specific and significant **COVID-19 risk of ADE** should have been and should be prominently and independently disclosed to research subjects currently in vaccine trials, as well as those being recruited for the trials and future patients after vaccine approval, in order to meet the medical ethics standard of patient comprehension for informed consent.”

### **What Is Antibody-Dependent Enhancement?**

As noted by the authors of that *International Journal of Clinical Practice* paper, previous coronavirus vaccine efforts for,

severe acute respiratory syndrome coronavirus (SARS-CoV)  
Middle East respiratory syndrome coronavirus (MERS-CoV)  
respiratory syncytial virus (RSV),

...have revealed a serious concern:

The vaccines have a tendency to trigger antibody-dependent enhancement...

What exactly does that mean?

In a nutshell,  
it means that rather than enhance your immunity against the infection, the vaccine actually enhances the virus' ability to enter and infect your cells, resulting in more severe disease than had you not been vaccinated. <sup>2</sup>

This is the **exact opposite of what a vaccine is supposed to do**, and a significant problem that has been pointed out from the very beginning of this *push* for a COVID-19 vaccine.

The 2003 review paper “Antibody-Dependent Enhancement of Virus Infection and Disease” explains it this way: <sup>3</sup>

“In general, virus-specific antibodies are considered antiviral and play an important role in the control of virus infections in a number of ways.

However, in some instances, the presence of specific antibodies can be beneficial to the virus. This activity is known as antibody-dependent enhancement (ADE) of virus infection.

The ADE of virus infection is a phenomenon in which virus-specific antibodies enhance the entry of virus, and in some cases the replication of virus, into monocytes/macrophages and granulocytic cells through interaction with Fc and/or complement receptors. This phenomenon has been reported in vitro and in vivo for viruses representing numerous families and genera of public health and veterinary importance.

These viruses share some common features such as preferential replication in macrophages, ability to establish persistence, and antigenic diversity.

For some viruses, ADE of infection has become a great concern to disease control by vaccination.”

### **Previous Coronavirus Vaccine Efforts Have All Failed**

In my May 2020 interview with **Robert Kennedy Jr.**, he summarized the history of coronavirus vaccine development, which began in 2002, following three consecutive SARS outbreaks.

By 2012, Chinese, American and European scientists were working on SARS vaccine development, and had about 30 promising candidates. Of those, the four best vaccine candidates were then given to ferrets, which are the closest analogue to human lung infections.

***While the ferrets displayed robust antibody response, which is the metric used for vaccine licensing, once they were challenged with the wild virus, they all became severely ill and died.***

The same thing happened when they tried to develop an RSV vaccine in the 1960s. RSV is an upper respiratory illness that is very similar to that caused by coronaviruses. At that time, they had decided to skip animal trials and go directly to human trials.

***“They tested it on I think about 35 children, and the same thing happened,” Kennedy said.***

***“The children developed a champion antibody response – robust, durable. It looked perfect [but when] the children were exposed to the wild virus, they all became sick. Two of them died. They abandoned the vaccine. It was a big embarrassment to FDA and NIH.”***

<https://www.bitchute.com/embed/VgP1qLGxd2Vz/>

### **Neutralizing Versus Binding Antibodies**

Coronaviruses produce not just one but two different types of antibodies:

Neutralizing antibodies, <sup>4</sup> also referred to as immunoglobulin G (IgG) antibodies, that fight the infection

Binding antibodies <sup>5</sup> (also known as nonneutralizing antibodies) that cannot prevent viral infection

Instead of preventing viral infection, binding antibodies trigger an abnormal immune response known as “paradoxical immune enhancement.”

Another way to look at this is, your immune system is actually backfiring and not functioning to protect you but actually making you **worse**...

Many of the COVID-19 vaccines currently in the running are using mRNA to instruct your cells to make the SARS-CoV-2 *spike protein* (S protein).

The [spike protein](#), which is what attaches to the ACE2 receptor of the cell, is the first stage of the two-stage process viruses use to gain entry into cells.

The idea is that by creating the SARS-CoV-2 spike protein, your immune system will commence production of antibodies, without making you sick in the process.

The key question is, which of the two types of antibodies are being produced through this process?

### **Without Neutralizing Antibodies, Expect More Severe Illness**

In an April 2020 Twitter thread, <sup>6</sup> *The Immunologist* noted:

“While developing vaccines... and considering immunity passports, we must first understand the complex role of antibodies in SARS, MERS and COVID-19.”

He goes on to list several coronavirus vaccine studies that have raised concerns about ADE.

The first is a 2017 study <sup>7</sup> in PLOS Pathogens, “Enhanced Inflammation in New Zealand White Rabbits When MERS-CoV Reinfection Occurs in the Absence of Neutralizing Antibody,” which investigated whether getting infected with MERS would protect the subject against reinfection, as is typically the case with many viral illnesses. (Meaning, once you recover from a viral infection, say measles, you’re immune and won’t contract the illness again.)

To determine how MERS affects the immune system, the researchers infected white

rabbits with the virus. The rabbits got sick and developed antibodies, but those antibodies were not the neutralizing kind, meaning the kind of antibodies that block infection.

As a result, they were not protected from reinfection, and when exposed to MERS for a second time, they became ill again, and more severely so.

“In fact, reinfection resulted in enhanced pulmonary inflammation, without an associated increase in viral RNA titers,” the authors noted.

Interestingly, neutralizing antibodies were elicited during this second infection, preventing the animals from being infected a third time.

According to the authors:

“Our data from the rabbit model suggests that people exposed to MERS-CoV who fail to develop a neutralizing antibody response, or persons whose neutralizing antibody titers have waned, may be at risk for severe lung disease on re-exposure to MERS-CoV.”  
In other words,

if the vaccine does not result in a robust response in neutralizing antibodies, you might be at risk for more severe lung disease if you’re infected with the virus....

And here’s an important point:

COVID-19 vaccines are NOT designed to prevent infection...  
As detailed in “How COVID-19 Vaccine Trials Are Rigged,” a “successful” vaccine merely needs to reduce the severity of the symptoms.  
They’re not even looking at **reducing infection, hospitalization or death rates...**

### **ADE in Dengue Infections**

The *Dengue virus* is also known to cause ADE.  
As explained in a *Swiss Medical Weekly* paper published in April 2020:<sup>8</sup>  
“The pathogenesis of COVID-19 is currently believed to proceed via both directly cytotoxic and immune-mediated mechanisms.

An additional mechanism facilitating viral cell entry and subsequent damage may involve the so-called antibody-dependent enhancement (ADE).

ADE is a very well-known cascade of events whereby viruses may infect susceptible cells via interaction between virions complexed with antibodies or complement components and, respectively, Fc or complement receptors, leading to the amplification of their replication.

This phenomenon is of enormous relevance not only for the understanding of viral

pathogenesis, but also for developing antiviral strategies, notably vaccines...

There are four serotypes of Dengue virus, all eliciting protective immunity. However, although homotypic protection is long-lasting, cross-neutralizing antibodies against different serotypes are short-lived and may last only up to 2 years.

In Dengue fever, reinfection with a different serotype runs a more severe course when the protective antibody titer wanes.

Here, non-neutralizing antibodies take over neutralizing ones, bind to Dengue virions, and these complexes mediate the infection of phagocytic cells via interaction with the Fc receptor, in a typical ADE.

In other words, heterotypic antibodies at subneutralizing titres account for ADE in persons infected with a serotype of Dengue virus that is different from the first infection.

Cross-reactive neutralizing antibodies are associated with decreased odds of symptomatic secondary infection, and the higher the titer of such antibodies following the primary infection, the longer the delay to symptomatic secondary infection..." The paper goes on to detail results from follow-up investigations into the Dengue vaccine, which revealed the hospitalization rate for Dengue among vaccinated children under the age of 9 was greater than the rate among controls.

The explanation for this appears to be that the vaccine mimicked a primary infection, and as that immunity waned, the children became susceptible to ADE when they encountered the virus a second time.

The author explains:

"A post hoc analysis of efficacy trials, using an anti-nonstructural protein 1 immunoglobulin G (IgG) enzyme-linked immunosorbent assay (ELISA) to distinguish antibodies elicited by wild-type infection from those following vaccination, showed that the vaccine was able to protect against severe Dengue [in] those who had been exposed to the natural infection before vaccination, and that the risk of severe clinical outcome was increased among seronegative persons.

Based on this, a Strategic Advisor Group of Experts convened by *World Health Organization* (WHO) concluded that only Dengue seropositive persons should be vaccinated whenever Dengue control programs are planned that include vaccination."

### **ADE in Coronavirus Infections**

This could end up being important for the COVID-19 vaccine. Hypothetically speaking, if SARS-CoV-2 works like Dengue, which is also caused by an RNA virus, then anyone who has not tested positive for SARS-CoV-2 might actually be at increased risk for severe COVID-19 after vaccination, and only those who have

already recovered from a bout of COVID-19 would be protected against severe illness by the vaccine.

To be clear, we do not know whether that is the case or not, but these are important areas of inquiry and the current vaccine trials will simply not be able to answer this important question. The Swiss Medical Weekly paper <sup>9</sup> also reviews the evidence of ADE in coronavirus infections, citing research showing inoculating cats against the feline infectious peritonitis virus (FIPV) – a feline coronavirus – increases the severity of the disease when challenged with the same FIPV serotype as that in the vaccine.

Experiments have shown immunization with a variety of SARS vaccines resulted in pulmonary immunopathology once challenged with the SARS virus.

The paper also cites research showing, “Antibodies elicited by a SARS-CoV vaccine enhanced infection of B cell lines in spite of protective responses in the hamster model.”

Another paper, <sup>10</sup> “Antibody-Dependent SARS Coronavirus Infection Is Mediated by Antibodies Against Spike Proteins,” published in 2014, found that: “... higher concentrations of anti-sera against SARS-CoV neutralized SARS-CoV infection, while highly diluted anti-sera significantly increased SARS-CoV infection and induced higher levels of apoptosis.

Results from infectivity assays indicate that SARS-CoV ADE is primarily mediated by diluted antibodies against envelope spike proteins rather than nucleocapsid proteins. We also generated monoclonal antibodies against SARS-CoV spike proteins and observed that most of them promoted SARS-CoV infection.

Combined, our results suggest that antibodies against SARS-CoV spike proteins may trigger ADE effects. The data raise new questions regarding a potential SARS-CoV vaccine...”

A study <sup>11</sup> that ties into this was published in the journal JCI Insight in 2019. Here, macaques vaccinated with a modified vaccinia Ankara (MVA) virus encoding full-length SARS-CoV spike protein ended up with more severe lung pathology when the animals were exposed to the SARS virus.

And, when they transferred anti-spike IgG antibodies into unvaccinated macaques, they developed acute diffuse alveolar damage, likely by “skewing the inflammation-resolving response.”

### **SARS Vaccine Worsens Infection After Challenge With SARS-CoV**

An interesting 2012 paper <sup>12</sup> with the telling title, “Immunization with SARS Coronavirus

Vaccines Leads to Pulmonary Immunopathology on Challenge with the SARS Virus,” demonstrates what many researchers now fear, namely,.

that COVID-19 vaccines may end up making people more prone to severe SARS-CoV-2 infection...

The paper reviews experiments showing immunization with a variety of SARS vaccines resulted in pulmonary immunopathology once challenged with the SARS virus.

As noted by the authors: <sup>13</sup>

“Inactivated whole virus vaccines whether inactivated with formalin or beta propiolactone and whether given with or without alum adjuvant exhibited a Th2-type immunopathologic in lungs after challenge.

As indicated, two reports attributed the immunopathology to presence of the N protein in the vaccine; however, we found the same immunopathologic reaction in animals given S protein vaccine only, although it appeared to be of lesser intensity.

Thus, a Th2-type immunopathologic reaction on challenge of vaccinated animals has occurred in three of four animal models (not in hamsters) including two different inbred mouse strains with four different types of SARS-CoV vaccines with and without alum adjuvant.

An inactivated vaccine preparation that does not induce this result in mice, ferrets and nonhuman primates has not been reported.

This combined experience provides concern for trials with SARS-CoV vaccines in humans. Clinical trials with SARS coronavirus vaccines have been conducted and reported to induce antibody responses and to be ‘safe.’

However, the evidence for safety is for a short period of observation.

The concern arising from the present report is for an immunopathologic reaction occurring among vaccinated individuals on exposure to infectious SARS-CoV, the basis for developing a vaccine for SARS.

Additional safety concerns relate to effectiveness and safety against antigenic variants of SARS-CoV and for safety of vaccinated persons exposed to other coronaviruses, particularly those of the type 2 group.”

### **The Elderly Are Most Vulnerable to ADE**

On top of all of these concerns, there’s evidence showing the elderly – who are most vulnerable to severe COVID-19 – are also the most vulnerable to ADE.

Preliminary research findings <sup>14</sup> posted on the preprint server medRxiv at the end of March 2020 reported that middle-aged and elderly COVID-19 patients have far higher levels of anti-spike antibodies – which, again, increase infectivity – than younger patients.

### **Immune Enhancement Is a Serious Concern**

Another paper worth mentioning is the May 2020 mini review <sup>15</sup> “Impact of Immune Enhancement on COVID-19 Polyclonal Hyperimmune Globulin Therapy and Vaccine Development.”

As in many other papers, the authors point out that: <sup>16</sup>  
“While development of both hyperimmune globulin therapy and vaccine against SARS-CoV-2 are promising, they both pose a common theoretical safety concern.

Experimental studies have suggested the possibility of immune-enhanced disease of SARS-CoV and MERS-CoV infections, which may thus similarly occur with SARS-CoV-2 infection...

Immune enhancement of disease can theoretically occur in two ways. Firstly, non-neutralizing or sub-neutralizing levels of antibodies can enhance SARS-CoV-2 infection into target cells.

Secondly, antibodies could enhance inflammation and hence severity of pulmonary disease. An overview of these antibody dependent infection and immunopathology enhancement effects are summarized in Fig. 1...

Currently, there are multiple SARS-CoV and MERS-CoV vaccine candidates in pre-clinical or early phase clinical trials.

Animal studies on these CoVs have shown that the spike (S) protein-based vaccines (specifically the receptor binding domain, RBD) are highly immunogenic and protective against wild-type CoV challenge.

Vaccines that target other parts of the virus, such as the nucleocapsid, without the S protein, have shown no protection against CoV infection and increased lung pathology. However, immunization with some S protein based CoV vaccines have also displayed signs of enhanced lung pathology following challenge.

Hence, besides the choice of antigen target, vaccine efficacy and risk of immunopathology may be dependent on other ancillary factors, including adjuvant formulation, age at vaccination... and route of immunization.”




Figure 1:  
 Mechanism of ADE and antibody mediated immunopathology.  
 Left panel: For ADE, immune complex internalization is mediated by the engagement of activating Fc receptors on the cell surface. Co-ligation of inhibitory receptors then results in the inhibition of antiviral responses which leads to increased viral replication.

Right panel: Antibodies can cause immunopathology by activating the complement pathway or antibody-dependent cellular cytotoxicity (ADCC). For both pathways, excessive immune activation results in the release of cytokines and chemokines, leading to enhanced disease pathology.

### Do a Risk-Benefit Analysis Before Making Up Your Mind

In all likelihood, regardless of how effective (or ineffective) the COVID-19 vaccines end up being, they'll be released to the public in relatively short order. Most predict one or more vaccines will be ready sometime in 2021.

Ironically, the data<sup>17,18,19</sup> we now have no longer support a mass vaccination mandate, considering the lethality of COVID-19 is lower than the flu for those under the age of 60.<sup>20</sup>

If you're under the age of 40, your risk of dying from COVID-19 is just 0.01%, meaning you have a 99.99% chance of surviving the infection. And you could improve that to 99.999% if you're metabolically flexible and vitamin D replete.



So, really, what are we protecting against with [a COVID-19 vaccine](#)? As mentioned, the vaccines aren't even designed to prevent infection, only reduce the severity of symptoms. Meanwhile, they could potentially make you sicker once you're exposed to the virus.

That seems like a lot of risk for a truly questionable benefit.

To circle back to where we started, participants in current COVID-19 vaccine trials are not being told of this risk – that by getting the vaccine they may end up with more severe COVID-19 once they're infected with the virus.

## Lethal Th2 Immunopathology Is Another Potential Risk

In closing, consider what this PNAS news feature states about the risk of ***vaccine-induced immune enhancement and dysfunction***, particularly for the elderly, the very people who would need the protection a vaccine might offer the most: <sup>21</sup>

“Since the 1960s, tests of vaccine candidates for diseases such as dengue, respiratory syncytial virus (RSV), and severe acute respiratory syndrome (SARS) have shown a paradoxical phenomenon:

Some animals or people who received the vaccine and were later exposed to the virus developed more severe disease than those who had not been vaccinated. The vaccine-primed immune system, in certain cases, seemed to launch a shoddy response to the natural infection...

This immune backfiring, or so-called immune enhancement, may manifest in different ways such as antibody-dependent enhancement (ADE), a process in which a virus leverages antibodies to aid infection; or cell-based enhancement, a category that includes allergic inflammation caused by [Th2 immunopathology](#). In some cases, the enhancement processes might overlap...

Some researchers argue that although ADE has received the most attention to date, it is less likely than the other immune enhancement pathways to cause a dysregulated response to COVID-19, given what is known about the epidemiology of the virus and its behavior in the human body.

‘There is the potential for ADE, but the bigger problem is probably Th2 immunopathology,’ says Ralph Baric, an epidemiologist and expert in coronaviruses... at the University of North Carolina at Chapel Hill.

In previous studies of SARS, aged mice were found to have particularly high risks of life-threatening Th2 immunopathology... in which a faulty T cell response triggers allergic inflammation, and poorly functional antibodies that form immune complexes, activating the complement system and potentially damaging the airways.”

### Sources and References

- 1 – [International Journal of Clinical Practice, October 28, 2020 DOI: 10.1111/ijcp.13795](#)
- 2, 21 – [PNAS.org April 14, 2020 117 \(15\) 8218-8221](#)
- 3 – [Viral Immunology 2003;16\(1\):69-86](#)
- 4 – [Science Direct Neutralizing Antibody](#)
- 5 – [Science Direct Binding Antibody](#)
- 6 – [Twitter, The Immunologist April 9, 2020](#)
- 7 – [PLOS Pathogens 2017 Aug; 13\(8\): e1006565](#)

- 8, 9 – [Swiss Medical Weekly April 16, 2020; 150:w20249](#)
- 10 – [Biochemical and Biophysical Research Communications August 22, 2014; 451\(2\): 208-214](#)
- 11 – [JCI Insight February 21, 2019 DOI: 10.1172/jci.insight.123158](#)
- 12 – [PLOS ONE April 2012; 7\(4\): e35421 \(PDF\)](#)
- 13 – [PLOS ONE April 2012; 7\(4\): e35421 \(PDF\), page 11](#)
- 14 – [medRxiv DOI:10.1101/2020.03.30.20047365 \(PDF\)](#)
- 15 – [EBioMedicine 2020 May; 55: 102768](#)
- 16 – [EBioMedicine 2020 May; 55: 102768, Introduction](#)
- 17, 20 – [Annals of Internal Medicine September 2, 2020 DOI: 10.7326/M20-5352](#)
- 18 – [YouTube, SARS-CoV-2 and the rise of medical technocracy, Lee Merritt, MD, aprox 8 minutes in \(Lie No. 1: Death Risk\)](#)
- 19 – [Technical Report June 2020 DOI: 10.13140/RG.2.24350.77125](#)

Dr. Joseph Mercola is perhaps the most well-known and respected physician on the Internet. I have followed his posts for twenty-one years and have read most of his books. Dr. Mercola is one of the few voices that I rarely vet on. Adding to the concern he expresses, the reader should read a recent post on Jim Stone's web page. His remarks just below double any concern one should hold regarding any vaccine that is being promoted. I would simply add that Jim Stone broke the real story over the disappearance of Malaysian Airlines Flight MH370 back in 2014. –(Pastor Bob). Jim Stone suggests that the vaccine is not what the public health agencies are promoting it as!

***"I have made an observation about the Corona vax that needs to be stated.***

*It is well known by now that the predominant forms of the Corona vax modify your DNA to such an extent the virus does not recognize you as human, so it will not infect. **But what is less known is that most variants of the "vaccine" contain HCG, which will make a vast majority of women (about 97 percent) sterile, and a majority of those sterilized will remain sterilized for life because the sterility component of the shot lasts 15 years (as proven by other Gates vaccines). Anyone over the age of 28 will usually be rendered sterile for life. Why would the people developing the vaccines make sure kids could not be born after it? EASY ANSWER:***

*Because if the vax works by modifying everyone's DNA so much the virus does not recognize you as human and therefore cannot infect you, you have been modified to such an extent there's no telling what will be born.*

***So there's this "Operation Warp Speed" being talked about now - to "get everyone in America vaxxed within the same 24 hour time frame". The marketing for this is so that the virus can't mutate on time to react to the vaccine. The reality of this is that the vaccine is so devastating they don't want 30 million people screaming about how they were wrecked, while 290 million are able to listen.***

*FACT: The vax, from all vendors, modifies your DNA.*

*FACT: The vax, from all vendors, causes infertility.*

*FACT: The vax is SO BAD an AI to manage public perceptions is part of the plan, right from the get go.*

*FACT: This vax is a key component of the "great reset".*

*FACT: The vaccines, (all of them) have ingredients that have never been tested on a wide scale, and are absolutely insane. Polyethelene Glycol? - Used to make sure there is major swelling of cell tissue because in that state, the cells accept the DNA better? WTF, OVER!!! You'd NEVER inject that SH\*T for ANY REASON precisely because when injected it is so poisonous it damn near kills you. You can drink milk, but if you inject it you're DEAD. Just because PEG can be eaten in small amounts does not make it safe for injection at all.*

*I know where I stand on that vax - **The trust has been broken.** All these years we have witnessed our kids being destroyed by the vaccines, which are obviously weaponized to cause autism. **AND YESTERDAY, WE SAW AN AMAZING PRESS CONFERENCE, which should have shook an honest media to its core. WHAT HAPPENED? Even Tucker bailed, AND IF THE MEDIA CANNOT BE HONEST ABOUT AN ELECTION, DO YOU THINK THEY'LL BE HONEST ABOUT THE REAL CAUSE OF AUTISM?***

***They know. They DAMN WELL KNOW and the Corona vax is not going to be reported on any more accurately than any of the rest of the bullsh&t they spew.***

*Aaah yes, "we need more research". That's a PRIME MSM spew, More research into these allegations". Oh look, the research is complete. **We don't care if your cute little "basketball bobby" can only drool on a stool after the vax,** The "science is settled" and it says you're full of sh\*t!*

***Highly probable: Woman destroyed by Coronavirus vax***

***A participant in a Coronavirus vaccine trial is likely suffering from severe genetic damage. As a result, within weeks of being the guinea pig, her feet are falling apart. It is important to note that in order to take part in any medical trial, you have to have perfect health. No diabetes, absolutely nothing wrong with you.***

***[This is what happened to a UK woman](#) who took part in testing the corona vax I have repeatedly posted on this site - the one where they are requisitioning an AI to handle all the people who get wrecked by it.***

***OK, so do I really believe this was from the vax? I'd say highly probable but there is no way to absolutely prove it. But that is DEFINITELY enough to jump to my death over to avoid it. (spoiler, I would have anyway without this post) but what happened to this woman solidifies it.***

***Yes, mess with someone's DNA and crap like this can happen, she was probably a jogger and started running on feet that had been modified by worm DNA. Everyone knows you cannot step on a worm.***

***I'll hedge my bets that is NEVER going to heal, she'll need her feet amputated, as will many more. I guess that's one way to fix stupid, ANYONE who participated in a corona vax trial would have to be.***

***It is hard to say whether or not this was a reaction to the polyethelene glycol or the DNA modification, but it is definitely tied to the vax."***

If you find yourself reading this I would like to first thank you for taking time out of your day to let me share my cousin Pattys' story with you.



Via Lindsay Leigh Novax on FB ... CoViD volunteer for their trials ..

Patricia was involved in a COVID-19 vaccine study recently and has had a severe adverse reaction. She has not been able to walk or go to work for almost 3 weeks now because of huge bleeding sores on her feet. These sores are called a Fixed Drug Eruption for those who may want to dig a little deeper into how this comes about



Who else is ready to roll up their sleeves for the evil "greater good" ???

She's been to the emergency room and has seen multiple specialists for this issue and has already lost a significant amount of money due to missing work and paying out of pocket what insurance will not cover. Through the pandemic she has already struggled with making ends meet, as I am sure many of us can understand and relate to in these trying times. The pharmaceutical company which administered this vaccine will not reimburse her for lost wages as of now and with her position at work if she is not there she does not get paid. It is a lose, lose financially.

The clock is ticking and Dr. Robert Redfield says the vaccines will be rolled out in the next week or two. Only an informed citizen can make a right decision. Remember the words of Hosea 4:6, which seems to be more appropriate with each passing day: ***"My people are destroyed for lack of knowledge: because thou hast rejected knowledge, I will also reject thee, that thou shalt be no priest to me: seeing thou hast forgotten the law of thy God, I will also forget thy children."*** -(Hosea 4:6).

To be forewarned is to be forearmed. Knowledge in advance enables one to be prepared, as in Let me know when he's in town so I can take the phone off the hook—forewarned is forearmed. This expression originated as a Latin proverb, Praemonitus, praemunitus, which was translated into English by the early 1500s. This 500-year old expression is certainly appropriate for today!

Blessings,

**Pastor Bob, [EvanTeachr@aol.com](mailto:EvanTeachr@aol.com)**  
**[www.pastorbobreid.com](http://www.pastorbobreid.com)**  
**<http://jesusisthewaythetruththelife.com/node/22>**