



The Spike Protein FUNCTIONS AS A “MICROTUMOR”: Instantaneous "Micrometastases": Induction of Tumor Microenvironment: LONG COVID!

By Walter M. Chesnut

The aberrant signaling induced by the Spike Protein of SARS-CoV-2 MIMICS PRECISELY the signaling found in Cancer Cachexia



Yes, the very first image. The metabolic effects and inflammation of cancer cells (in this case, the Spike Protein causes THE EXACT SAME metabolic reprogramming and inflammation) inducing Cancer Cachexia cause an altered sense of taste and smell. Also, the same effects cause an atrophy of cardiac muscle and increased energy consumption by the heart.




Just as with cancer cells. The Spike Protein's induction of upregulated Cytokine expression causes either Apoptosis of muscle cells (overwhelming cytokine expression), or AUTOPHAGY of muscle cells (lower levels of Cytokine expression).

The Spike Protein of SARS-CoV-2 Impairs Lipid Metabolism and Increases Susceptibility to Lipotoxicity: Implication for a Role of Nrf2

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC9221434/>

Cytokine Signature Induced by SARS-CoV-2 Spike Protein in a Mouse Model

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC7876321/>



This also explains the loss of energy as the Cytokines induce the Uncoupling Protein, interrupting ATP synthesis. And what makes this particularly fascinating? In Cancer Cachexia the white adipose tissue begins to behave as brown adipose tissue. This is directly related to the induction of the Uncoupling Protein. And, what animals have abundant brown adipose tissue? HIBERNATING ANIMALS!


Hence, SARS-CoV-2 infects human fat cells, replicating and altering cell function and viability in a depot- and viral lineage-dependent fashion.

SARS-CoV-2 spike protein was found across the adipose tissue of subjects who had detectable viral genome in fat and adipocytes were among the cells infected, as demonstrated by SARS-CoV-2 spike protein detection around lipid droplets.

SARS-CoV-2 infects adipose tissue in a fat depot- and viral lineage-dependent manner

<https://www.nature.com/articles/s41467-022-33218-8>

Please watch the entirety of the video below as it allows for full understanding of this hypothesis. It is also the source of the above images and much of the content.



5.4.4 cancer and metabolism: cachexia | JP Educare

At long last, I can now further explain the mechanisms of what I observed long ago. That the Spike Protein is “Cancer Without Tumors.”

May 10, 2021

<https://wmcresearch.org/cancer-without-tumors/>

Is it any wonder that we are seeing massive amounts of cancer? If the “seeds” take root in a fertile environment, would you expect anything else?

We will work on combatting this.

Blessings to all this Holiday Season.

This study by Walter M. Chesnut was posted on December 22, 2022; and it explains how people are dying from multiple organ failure that have been induced through the Spike Protein that Moderna and Pfizer have used in their Covid vaxxes.

In the fall of 2022, Dr. Sherri Tenpenny was the first person that I know to publicly state that the S-Protein or more commonly called the “Spike Protein” (PEG) was inserted into the vaccines. PEG is the common abbreviation for **polyethylene glycol – or, more properly, poly (ethylene glycol) – which refers to a chemical compound composed of repeating ethylene glycol units.** It is more commonly known and referred to as radiator antifreeze. Polyethylene glycol whether it is ingested or injected into the body is tantamount to death under any circumstances.

Of the four companies authorized to administer the so-called vaxxes, Moderna and Pfizer were given EUA or Emergency Use Authorization, that specifically use the Vector entrance by the Spike Protein.

One of the most widespread uses of PEG is in a class of medications known as osmotic laxatives, which are used to treat constipation. Because of PEG's hydrophilic nature, it can draw fluid into the intestines and help hydrate stool. This allows for easier passage during bowel movements.

When used as a laxative, polyethylene glycol is typically taken in powder form mixed with water or juice and can be found under various names including:

ClearLax
GaviLAX
Gialax
GlycoLax
HealthyLax
MiraLax
PEG3350
Sunmark ClearLax

But polyethylene glycol can also be found in more inconspicuous places.

Personal Care Products

Because of their affinity for dissolving in and attracting water, PEGs are regularly utilized in cosmetics as:

- **Emollients:** Which help lubricate and soften skin or hair
- **Emulsifiers:** Which act as an agent to help water-based and oil-based ingredients combine properly
- **Depth enhancers:** Serving as a vehicle to help other ingredients penetrate into deeper levels of the skin or hair

Polyethylene glycol's hydrophilic properties make it a highly practical compound in countless cosmetic and personal care products – from make-up to hair shampoo, and from anti-aging creams to baby wipes.

Pharmaceuticals

PEG is also widely used in the production of pharmaceutical products, including:

As bases for ointments and creams

As vehicles within drug capsules

Binders in tablets and pills

Suppositories

Suspension aids in liquid prescriptions

As cell-penetrating enhancers in vaccines

While found extensively in personal use products like prescriptions, cosmetics, and soaps, PEG can also be found in other places.

Industrial Uses

PEG can be found in a variety of industrial processes and products, such as:

Wood preservation

Printing

Chemical mixtures

Textiles

Leather processing

Plastics

Resins

Paper

Ceramics

Glass

Rubber

There's no denying that polyethylene glycol is incredibly useful, but it has also been stirring up some controversy – having been linked to some undesirable effects with frequent ingestion or from contamination... read more below.

So, Is Polyethylene Glycol Toxic to Humans?

The answer to this question is – it's complicated. You see, polyethylene glycol derivatives in and of themselves are not necessarily toxic or dangerous. The real concern surrounding polyethylene glycol is three-fold:

Pollution: The process to produce polyethylene glycol requires a chemical reaction known as ethoxylation and the use of compounds known as ethylene oxide and 1,4-dioxane – two chemicals that have well-documented toxic effects on humans.

Contamination: PEGs are widely utilized for their ability to enhance penetration and absorption. But this also means that prolonged use or high doses of PEG can significantly enhance your body's absorption of other toxins and harmful compounds that are found alongside PEGs or within the environment.

Lack of studies: Because polyethylene glycol has numerous derivatives and molecular weights, extensive studies have only been conducted on a handful of different PEG compounds. There is limited information on the real impact of PEGs as a whole and more PEG toxicity research is needed to truly understand this compound's effects on the human body.

Despite a lack of studies or a clear picture of the exact impact PEG compounds have on our bodies, we do know that this compound can have some negative side effects.

Polyethylene Glycol Side Effects

Some of the confirmed and documented side effects of polyethylene glycol include:^{8,9}

Polyethylene glycol allergy: Although not commonly seen, there have been documented cases of an allergy to PEG. Some cases have even resulted in anaphylaxis – a severe and potentially life-threatening allergic reaction. Due to the risk of exposure to polyethylene glycol, the FDA has issued a warning to anyone with a known or suspected PEG allergy to communicate clearly with healthcare professionals as PEGs can be found lurking in medications, vaccines, contrast agents, and more.

Digestive issues: If taken orally, polyethylene glycol can cause stomach upset such as diarrhea, flatulence, abdominal pain, nausea, vomiting, etc. (including death).

Electrolyte imbalances: Because of its ability to disrupt the flow of water, PEG can also cause electrolyte imbalances. This may involve a decrease or increase in crucial electrolytes like calcium, sodium, potassium, and phosphate. It has also been linked to an increased risk of metabolic acidosis, which is a build-up of acid and toxins in the body.

While these side effects are well-documented, there are growing concerns about other possible polyethylene glycol toxicity symptoms.

Polyethylene Glycol Toxicity Symptoms

While it's well-known among the medical community that PEG can trigger an allergy, cause digestive upset, or lead to electrolyte imbalances, there have been more and more reports of neurological symptoms associated with polyethylene glycol. Because of this reported increase in neuropsychiatric side effects, parents and pediatric practitioners are becoming increasingly wary of administering polyethylene glycol to adolescents.

A recent study found that a large percentage of parents, caregivers, and practitioners described an explosion of neurological side effects seemingly correlated to polyethylene glycol administration. Those side effects include:

Abnormal behavior

Anger

Anxiety

Mood swings

Seizures

Sensory disturbances

Exactly how and why polyethylene glycol is triggering these neurological symptoms is still not entirely clear. And whether or not these side effects also extend to adults and geriatric patients will require further studies as well.

So, How Worried Should You Be About Polyethylene Glycol (PEG)?

Exactly how dangerous PEG truly is, is yet to be determined. However, from what I have noted above is evidence enough that PEG should not be in your body, whether it be ingested or injected! I highlighted a few that have been experienced side effects of those taking the vaxxes.

The U.S. Food and Drug Administration (FDA) is finally coming clean about covid-19 vaccines causing clots, but it's two years too late, and FDA officials still refuse to take the jabs off the market.

Americans have been manipulated and coerced to take [over 613 million doses of a fake vaccine](#) that doesn't prevent infection and only causes more health issues. According to the [newly released V-safe data](#) and [Pfizer's emergency use authorization](#) (EUA) application, the FDA knew about these serious adverse events during the clinical trials and the initial rollout, but the agency granted EUA for Pfizer's covid-19 vaccine in December 2020 and promoted falsehoods about the experimental jab for nearly two years.

FDA's medical malfeasance is haunting the world now

Knowing full well that the covid jab was permanently injuring people and causing hospitalizations, the agency arrogantly granted FULL approval for the Pfizer jab (Comirnaty) in August 2021. These prideful acts of medical malfeasance were taken to force greater vaccine uptake across society, [especially in the military](#) – which already had a system of mandates in place to treat soldiers like expendable guinea pigs. The policy goals of the time were not to provide a safe and effective vaccine, but to eliminate “vaccine hesitancy” and provide a “pathway to reopening.” **Because of these illegal acts of coercion, the FDA took part in a criminal conspiracy to deprive Americans of informed consent and threaten their inherent rights, all while pushing out a pharmaceutical product that pose serious health risks. These health risks – which include heart inflammation, blood clots, and immune failure – far outweigh any hypothetical risks of a virus of undefined origin, that had significantly mutated into obscurity several times over.**

Regardless, by October of 2022, upwards of 70 percent of the U.S. population had already taken at least one dose of covid-19 mRNA vaccine, reprogramming their cells for inflammation and cardio-toxic effects. Around the world, 12.7 billion doses have been administered across 184 countries. Millions of people have learned the hard way that the FDA, the CDC, the NIH, etc. are run by a bunch of bought-off liars and cowards who pushed out harmful propaganda that led to mass harm.

From pulmonary embolism to intravascular coagulation, covid jabs have permanently damaged human health

In the study, FDA researchers looked at data on 17.4 million elderly Americans who took the fake vaccine. The data, taken from the Centers for Medicare & Medicaid Services (CMS), included 34.6 million doses administered between December 10, 2020 and January 16, 2022.

The researchers looked at 14 different health outcomes for Medicare Fee-for-Service beneficiaries aged 65 or older who received a covid-19 vaccine. When a negative health outcome met a certain statistical threshold post-vaccination, it was flagged as a vaccine risk. Sadly enough, the FDA uses probability variables that disregard thousands of cases of blood clotting in vaccinated individuals. In this way, the FDA normalizes serious health issues after vaccination unless the magnitude of these health issues

reaches their threshold for concern. Notwithstanding, medical professionals are less likely to submit a vaccine injury report to the Vaccine Adverse Events Reporting System (VAERS) if the FDA and CDC do not warn about the medical issue in the first place. Still, there have been approximately 4,214 reports of post-vaccination pulmonary embolism following covid-19 vaccination reported to VAERS as of Dec. 9, 2022.

The first four negative outcomes from the study [were announced on July 12, 2021](#). These outcomes included pulmonary embolism, acute myocardial infarction, immune thrombocytopenia, and disseminated intravascular coagulation. Even though these blood clotting disorders were a serious risk, the FDA gave full approval to Pfizer's Comirnaty a month later, allowing for insidious, unlawful vaccine mandates in the military.

By the Fall of 2021, the government was falsely advertising a "*pandemic of the unvaccinated*" while tens of thousands of hospitalizations were occurring for vaccine-induced blood clotting disorders. By January 15, 2022, the Medicare data included 9,065 cases of acute myocardial infarction (lack of oxygen to the heart) in elderly vaccinated patients. The data also included 6,346 cases of pulmonary embolism (blood clotting in the lungs), 1,064 cases of immune thrombocytopenia, and 263 cases of the coagulation.

While these serious health issues plagued the population for nearly two years, the [FDA refuses to take any action](#) against the covid-19 vaccine or issue any further warnings. The FDA asserts that the findings "*are still under investigation and require more robust study*." Mockingly, the FDA still "*strongly believes the potential benefits of COVID-19 vaccination outweigh the potential risks of COVID-19 infection*." This information is certainly an indictment of the FDA's incompetence and criminal neglect to its failure of transparency.

Blessings,

Pastor Bob, EvanTeachr@aol.com
www.pastorbobreid.com